

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("6205481" "20050021857" "6317778").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 06:32
L2	1	("6317778").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 06:33
L3	20	(url near5 suffix) same rout\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 06:33
L4	597	content near2 based near2 routing	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 06:52
L5	1	"6742044".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 06:47
L8	13	4 with url	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 06:52
L9	2	8 and @ad<"20000605"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 06:59
L10	4	("6008805" "6240464" "6286040" "6301618").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/26 06:58
L11	490	routing near5 url	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/26 06:58
L12	43	routing near2 based near5 url	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/26 06:58
L13	13	12 and @ad<"20000605"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:41
L14	1	"6836799".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:41
L15	3	(caching near2 protocol) same (satellite)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L16	3	("6347087" "6205481" "6016388").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L17	1409	(network near30 rout\$3) same (application adj layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L18	2253529	pda mobile cell	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L19	2226	content near2 routing	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58
L20	63	L19 near30 cache	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58
L21	26254	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L22	597	content near2 based near2 routing	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58
L23	1	("20050021857").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58
L24	1	L23 and (service control management poll\$4 active inactive)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58
L25	33	(content adj based adj routing) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L26	27984	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L27	27	(application adj layer) same (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L28	2	(((caching near2 protocol) same rout\$3) and satellite) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L29	14	((caching near2 protocol) same rout\$3) and (content near routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L30	72375	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L31	440	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L32	72375	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L33	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L34	75715	((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L35	401567	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L36	21	rout\$3 near15 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L37	38	((san or (storage adj area adj network)) and ndmp) and library	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L38	50	(rout\$3 near15 mime) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L39	2	"6377986".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L40	20	(url near5 suffix) same rout\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L41	4	("6205481" "6347087").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L42	94	(san or (storage adj area adj network)) and ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L43	8	((network near30 rout\$3) same (application adj layer)) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L44	14	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) ((ascii same binary) and (routing adj option))) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L45	38	((san or (storage adj area adj network)) and ndmp) and library	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L46	29	(ascii same binary) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L47	13	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L48	2	(jpg htm pdf mime) and (((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L49	97	(jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L50	11	(routing adj option) and ((content data file) near4 (type size) near10 (mime jped jpg htm html))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L51	27	(content adj based adj routing) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L52	33	(content adj based adj routing) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L53	27	(application adj layer) same (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L54	14	((caching near2 protocol) same rout\$3) and (content near routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L55	14	L22 near30 cache	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58
L56	401567	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L57	142	((online internet web) near5 (dating)) same (profile preference associate link)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L58	2	((caching near2 protocol) same rout\$3) and satellite) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L59	168	((((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)) and (server)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L60	3	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L61	3	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L62	96	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L63	401567	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L64	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L65	19632	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L66	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L67	557	(online internet web) near30 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L68	27984	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L69	0	("5586121").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L70	557	(online internet web) near30 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L71	88	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L72	2	(jpg htm pdf mime) same ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L73	1281	((online internet web) same (community group)) same (refer introduce link associate) same (block prevent lock ban bar authenticate password)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L74	3	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L75	401567	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L76	25	((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L77	27984	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L78	99012	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L79	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L80	0	(("6347087" "6016388").pn.) and mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L81	26254	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L82	99	(caching near2 protocol) same rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L83	10710	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L84	2253529	pda mobile cell	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L85	401567	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L86	3737	content near4 routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L87	1	"6317778".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58
L88	316	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L89	96	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L90	73995	(pda mobile cell) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L91	99012	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L92	26254	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L93	27984	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L94	139	rout\$3 near15 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L95	25	((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L96	723	(library same manag\$5) same (device same host)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L97	99012	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L98	0	caching near2 protcol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L99	462	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L100	19632	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L101	116	(((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L102	462	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L103	1409	(network near30 rout\$3) same (application adj layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L104	0	("6347087" "6016388").pn. and cach\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L105	99012	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L106	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L107	316	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L108	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L109	72375	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L110	440	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L111	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L112	0	("6343313").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L113	27984	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L114	116	((online internet web) near5 (dating)) same (profile preference associate link) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L115	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L116	723	(library same manag\$5) same (device same host)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L117	4	("6347087" "6016388").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L118	320	((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize) and (activate near2 feature)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L119	3	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L120	73995	(pda mobile cell) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L121	10710	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L122	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L123	126	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L124	0	(routing adj option) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L125	316	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L126	0	("6347087" "6016388").pn. and cach\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L127	320	((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L128	126	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L129	72375	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L130	0	(("6347087" "6016388").pn.) and mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L131	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L132	19632	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L133	139	rout\$3 near15 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L134	1208	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L135	1208	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L136	440	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L137	2916	activate near2 feature	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L138	10710	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L139	99	(caching near2 protocol) same rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L140	0	L16 and (rout\$4 near10 (size))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/12/26 07:58
L141	88	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L142	0	(routing adj option) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L143	96	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L144	126	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L145	0	("6343313").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L146	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L147	116	((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L148	25	((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L149	27984	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58

EAST Search History

L150	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L151	10710	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L152	67492	(wireless near2 device) and (pda mobile cell)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L153	3737	content near4 routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L154	1208	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L155	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L156	10710	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L157	440	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58
L158	88	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 07:58